

Vaccine Schedule

Office Visit	Immunizations received	Injections
1 months	Hep B #2	1 injection
2 months	Pevnar, Pentacel, Rotateq	2 injections, one liquid dose
4 months	Pevnar, Pentacel, Rotateq	2 injections, one liquid dose
6 months	Pevnar, Rotateq, Flu (seasonal)	1-2 injections, one liquid dose
9 months	Hep B #3, Flu (seasonal)	1-2 injections
12 months	Hep A #1, MMR, Varivax, Flu (seasonal)	3-4 injections
15 months	Pentacel, Pevnar, (Hep A if not given at 12 mo), Flu (seasonal)	1-4 injections
18 months	Hep A #2, Flu (seasonal)	1-2 injections
2, 3 years	None unless behind, Flu Injectable or nasal spray (seasonal)	0-2 injection
4 years	MMR, Varivax, (Hep A if never had) Flu Injectable or nasal spray (seasonal)	2-4 injections
5 years	Dtap, Polio, Flu Injectable or nasal spray (seasonal)	2-3 injections
6, 7, 8, 9, 10 years	None unless behind, Flu Injectable or nasal spray (seasonal)	1-2 injections
11	Menactra, Tdap, Gardasil, Flu Injectable or nasal spray (seasonal) (Hep A & Varivax if not given before)	3-6 injections
12+	See 11 yr if not given before, Flu Injectable or nasal spray (seasonal)	3-6 injections

- ❖ *Please note that this schedule is subject to change when the American Academy of Pediatrics updates its recommendations. We will inform you of these changes as they occur.*
- ❖ *Also please read our letter to you that follows this schedule.*

Dear Families of Children's Clinic of Wyomissing,

We at Children's Clinic of Wyomissing have no doubt in the effectiveness of vaccines to prevent serious illness and to save lives.

The safety of our vaccines has been established through numerous scientific studies. Based on all available literature, evidence and current studies, we can confidently say that vaccines do not cause autism or other developmental disabilities.

We feel firmly that all children and young adults should receive all of the recommended vaccines according to the schedule published by the Centers for Disease Control and the American Academy of Pediatrics.

All children must complete their primary series of immunizations by two years of age unless medically contraindicated.

Finally, if you should absolutely refuse to vaccinate your child fully by 2 years of age despite all our efforts, we will ask you to find another health care provider who shares your views.

The above vaccine schedule is provided for your convenience.

Regards,
Physicians of Children's Clinic